10595179 - GAU: 1792 PAGE 02/32

BEST AVAILABLE COPY

_	Under the Paperwork Reduction Act of 1995, no persons are required to re	U.S. Patent and Traden	oved for use through 09/30/2006. hark Office; U.S. DEPARTMENT	OF COMMERCE
\sim	Substitute for form 1449/PTO	Cor	nplete if Known	
		Application Number	10/595,179	(C)
INFORMATION DISCLOSURE	Filing Date	9/17/2006	HEGEIVER	
STATEMENT BY APPLICANT		First Named Inventor	Guillermo C. Bazan	CENTHAL BAY GENTER
		Art Unit	unknown	HBI NEG NY
	(Use as many sheets as necessary)	Examiner Name	to be assigned	AUG 2 2 2008
$\overline{}$	Sheet 1 of 2	Attorney Docket Number	1279-454 US	- 2 2000

			U. S. PATENT	T DOCUMENTS .	
Examiner Initials*	Cite No.1	Document Number Number-Kind Gode ^{2 (Palmont)}	Publication Date MM-DD-YYYY	Name of Paternee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevan Figures Appear
		US- 10/167,043	09/04/2003	Qingye Zhou et al.	
		US- 09/929.191	02/21/2002	Vinod P. Manon et al.	
		US- 09/044,742	07/04/2000	Friedrich Jonas et al.	
	_	US-			
		US-			
		US-	-		
		US-			
		US-			
		US-			1
		US-			
		U8-	1		
		US-	T		
		US-			
		US-			·
		US-	1	1	
		US-			
		US-	1		
		US-	T		
	_	US-	1		-

Examiner tritials*	Cite No.1	Foreign Perfent Document Country Code* "Number * "Nind Code* (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines. Where Relevant Passages Or Relevant Figures Appear	T ^a
						Г
						Г
Examiner Signature		/Robert S. Walters Jr./		Date Considered	12/11/2009	_

^{*}EXAMPLER: Inhalf if reference considered, whether or not obtains in continuous with MPEP 56%. Ones line through obtain in it in continuous conditiones, Include copy of the form with next communication to applicant. Applicant's unique obtain designation number (optional). See finds Code USPFO Destard Destards of Symbol 1, See Finds Code USPFO Destard Destards of Symbol 1, See Finds Code USPFO Destard Destards of Symbol 1, See Finds Code USPFO Destard Destards of Symbol 1, See Finds Code USPFO Destard Destards of Symbol 1, See Finds Code USPFO Standard STJ, Japanese option discourants, the indication of the year of the region of the Empirer must proceed the senial number of the patient document. After 50 Section STJ, See Finds Symbol 1, See Finds Symbol 1,

The Approximate rymbols as indepted on the department where 1 is a function of submitted that the control of the submitted of

10595179 - GAU: 1792 PAGE Ø3/32

BEST AVAILABLE COPY

Un	der the Paperwork Red	uction A	ct of 1895, no persons ar	U.S. Patent c required to respond to a collection	Approved for use through 09/3 and Trademark Office; U.S. DEPAR of Information unless it contains a ve	TMENT OF COMMERCE	
	te for form 1449/PTO				Complete if Known		
		Application Number	10/595,179				
INFORMATION DISCLOSURE				Filing Date	9/17/2006	RECE	VED
STATEMENT BY APPLICANT		First Named Inventor	Guillermo C. Bazan	CENTRAL FA			
(Use as many sheets as necessary)		Art Unit	unknown	AUC 8	2 2006		
				Examiner Name	to be assigned	A00 Z	2 2000
Sheet	2	of	2	Attorney Docket Number	1279-454 US		

		NON PATENT LITERATURE DOCUMENTS	
Examiner Initials*	Orte No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, sorial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
		HONGBIN WU et al. "Efficient electron injection from a bilayer cathode" Adv. Mater. 2004, 16, No.20, October 18, p.1826-1830.	
		FEI HUANG et al. "High efficiency, environment-friendly electroluminescent" J. Am. Chem. Soc. 2004, 126, pps. 9845-9853.	
		HONGBIN WU et al. "High-efficiency electron injection" Organic Electronics 6 (2005), pps. 118-128.	
		YONG CAO et al. "Efficient electron injection" Society for Informational Display International Symposium 2004, 35, Digest pps. 892-895.	
		·	Г

ĺ	Signature		Considered	12/11/2009	ı		
SEAMINER: Inside it retreames considered, whether or not crait on is in conformance with MPEP 809. Draw line through citation if not in conformance and not							

This collection of the control menigement number (optional). A Apparetrix to be alread and the first find the legislage Threaden's testing-the collection of thermalism is required to collection of thermalism is required to collection of the colle

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

PAGE 3/32 * RCVD AT 8/22/2006 1:16:52 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-2/18 * DNIS:2738300 * CSID:2135334174 * DURATION (mm-ss):15-28